

01-12-13 10:53 (株)WABC 7]


10480781220 # 2X 9

整理番号=WCM000.6 提出日 平成13年 2月15日
特願2001-939091 頁: 1/ 8

【書類名】 図面


【図1】

Fig. 1



【図2】

Fig. 2




01-12-19 10:53 (日)WACF 16
10480761220 8 3/9

整理番号=WCM0005 物願2001-039091 提出日 平成13年 2月15日 頁: 2/6

【図3】

Fig. 3






Fig. 4A

(a)





Fig. 4B

(b)




61-12-18:10:53 (注)WABOM 封 10480781220 # S/ 9

整理番号=WCM0005 提出日 平成13年 2月15日 特願2001-039091 頁: 4/ 8

【図5】

Fig. 5



01-12-13:10:53 (株)WACOM 本社

0490781290

8/ 9

整理番号=WCM0005

提出日 平成13年 2月15日
特願2001-039091 頁: 3/ 8

(図6)

FIG. 6

キースイッチ	ラベル	指示信号
キー13a	保存	キーボード「Ctrl」+「S」
キー13b	全て選択	キーボード「Ctrl」+「A」
キー13c	コピー	キーボード「Ctrl」+「C」
キー13d	カット	キーボード「Ctrl」+「X」
キー13e	ペースト	キーボード「Ctrl」+「V」
キー13f	アンドゥ	キーボード「Ctrl」+「Z」
キー13g	書体設定	キーボード「Ctrl」+「D」
キー13h	新規作成	キーボード「Ctrl」+「N」
キー13i	表示切替	キーボード「Alt」+「Esc」
キー13j	ON/OFF	入力装置のON/OFF切替

KEY SWITCH	LABEL	INSTRUCTION SIGNAL
KEY 13a	STORE	KEYBOARD "Ctrl" + "S"
KEY 13b	SELECT ALL	KEYBOARD "Ctrl" + "A"
KEY 13c	COPY	KEYBOARD "Ctrl" + "C"
KEY 13d	CUT	KEYBOARD "Ctrl" + "X"
KEY 13e	PASTE	KEYBOARD "Ctrl" + "V"
KEY 13f	UNDO	KEYBOARD "Ctrl" + "Z"
KEY 13g	FONT SETTING	KEYBOARD "Ctrl" + "D"
KEY 13h	CREATE NEWLY	KEYBOARD "Ctrl" + "N"
KEY 13i	SWITCH DISPLAY	KEYBOARD "Alt" + "Esc"
KEY 13j	ON/OFF	ON/OFF SWITCHING OF INPUT DEVICE




Fig. 7A

(a)




Fig. 7B

(b)




Fig. 7C

(c)





Fig. 7D

(d)






Fig. 8A (a)




Fig. 8D (d)




Fig. 8B (b)




Fig. 8E (e)








Fig. 8C (c)





Feb 08 2004 4:05PM LBLW

Feb 6 2004 16:27

P.23

410-576-8962

P.2

It is hereby certified that this Response and Amendment is faxed to the examiner
at fax number (703)-305-4750, on this 6th day of February, 2004.

Dated

2/6/04

J. Andrew McKinney, Jr.

